STATE OF NEVADA COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 ! Fax (775) 684-7052

RECEIVED

APR 04 2012

Division of Minerals

APPLICATION FOR PERMIT TO DRILL AN OIL OR GAS WELL

(Application must be accompanied by \$200 permit fee. Submit proposed drilling program with this application.) Company/Operator Bright Sky Energy and Minerals, Inc. Send permit to: Street/ PO Box 17501 Rimrock Dr. State COLORADO City Golden Zip 80401 Telephone 303-216-2862 Lease name White River Valley within the SW 1/4 SW 14 Well No. 1-35 **WELL LOCATION** , T. 8 N ,R. 61 E Sec 35 M.D.B.M. UTM Easting 666287 E (Using NAD27 Datum) UTM Northing 4263997 N; **Note: Please convert UTMs from NAD83 to NAD27** Field White River Valley County Nye The well is 103 feet from (N) (S) line and feet from (E) (W) line of the section. and 753 (Give location from section line, cross out wrong directions.) Distance and direction from nearest town 24 miles South from Lungd If patented land, Fee Owner is X Section Fee Owner Address Locate well correctly. If government land, lease serial No. is NVN 86657 Land Type: Federal (BLM, USFS, etc.) Private ☐ State Lessee is Bright Sky Energy and Minerals, Inc. 711 S CARSON ST STE 4, CARSON CITY 897001, Nevada Address It is proposed to drill the well to a depth of 12,500 feet using a rotary rig. feet above sea level. The elevation is 5221.64 15 - 20 f The KB will be If this is a wildcat well, attach plat by licensed surveyor showing location. The status of a bond for this well is conformance with NRS 522.230 of the Nevada Revised Statues is: \$ 10,000 USD bond was submitted to BLM, Nevada, Reno on Form 3000-4 (Cashier's check Ser.#0479400178) If bond posted with U.S. Government, what is name of surety company? Bond number?



	Signed/ / V	-/ Mai
	Name Tibor G Rozgonyi	
	Position Vice President and COO	
	Date March 31	, 20 <u>12</u>
Permit No. <u>936</u>		
PI No. <u>37-023-0.</u>	5617	
pproval Date 6/13/12		
y Han R. G.		
k 		
	CONDITIONS OF PERMIT	
	CONDITIONS OF PERMIT	
. Please send daily drilling repo	rts to : Lowell Pricelprice@govmail.	state.nv.us
. Please send daily drilling repo	rts to : Lowell Pricelprice@govmail. and	
	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail.	
. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail.	
. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail. nts	
. Please send daily drilling report. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail. nts	
. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail. nts	
. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail.	
. Additional Conditions/Comme	rts to : Lowell Pricelprice@govmail. and Lindalwells@govmail. nts	

STATE OF NEVADA COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 | Fax (775) 684-7052

RECEIVED

MAR 0 2 2016

DIVISION OF MINERALS

OIL, GAS, AND GEOTHERMAL SUNDRY NOTICE AND REPORT ON WELLS

☑ Notice of Intention to Stimulate Well ☐ Subsequent Report of Stimulation ☐ Notice of Intention to Pull or Alter Casing ☐ Subsequent Report of Altering Casing ☐ Notice of Intention to Abandon Well ☐ Supplementary Well History ☐ Notice of Exception to Sample Water ☐ Notice of Intention to Fracture Treat Formation(s) ☐ Other (Explain in "Summary of Work")			
(Indicate above by check mark, nature of report, notice or other data.)			
Permit Number 926			
Well No. BSEM Fed 1-35			
County Nye			
any Name Bright Sky Energy and Minerals, Inc.			
d or Area wildcat			
n or Lease BLM NVN 86657 and NVN 86605			
Date Feb. 18 2016			
SUMMARY OF WORK (State names of and expected depths to objective zones or formations: show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and ALL other pertinent data.) Attachments permitted if necessary.			
Bright Sky Energy and Minerals, Inc. (BSEM) proposes to Hydraulically Fracture (HF) and stimulate the BSEM Federal 1-35 well. The zones to be stimulated and proposed program are outlined in the attached Area of Review.			
I understand that this plan of work must receive approval in writing of the Division of Minerals before operations may be commenced.			
Company Bright Sky Energy and Minerals; Inc.			
Address 17601 S. Golden Road			
Golden, CO 80401			
Name Tibor G Rozgonyi Wm.J. Ehni			
Position Executive, Project Manager Consulting Geologist			
Signature Jih Fg			
REMARKS: Either person can represent the company in front of the authorities.			

This sundry notice is valid for up to one (1) year from the date of approval, unless otherwise stated.

DO NOT WRITE IN THE SPACE BELOW
Approved by W.W.
Position HOMINISTRATOR
Date 7-8-7012
The second secon



BRIAN SANDOVAL

STATE OF NEVADA COMMISSION ON MINERAL RESOURCES

DIVISION OF MINERALS

400 W. King Street, Suite 106 Carson City, Nevada 89703 (775) 684-7040 • Fax (775) 684-7052 http://minerals.nv.gov/

Las Vegas Office: 2030 E. Flamingo Rd. #220, Las Vegas, NV 89119 Phone: (702) 486-4343; Fax: (702) 486-4345



RICHARD PERRY Administrator

February 8, 2017

Operator: Bright Sky Energy and Minerals, Inc.

Lease Name: NVN 86657

Well: 1-35

Permit Number: 926

Conditions of Approval

Bright Sky Energy and Minerals, Inc. sundry notice for the proposed well stimulation procedure of the 1-35 well, dated February 18, 2016, received on March 2, 2016, and having received BLM notification of approval on February 7, 2017, has been approved by the Division of Minerals. The approved sundry notice is subject to the following Conditions of Approval:

- 1. A water sample from the water well on the 1-35 drill pad must be properly sampled and tested by a certified laboratory within twelve months of the stimulation procedure. The Division of Minerals must receive the results of the testing at least 14 days prior to the stimulation procedure.
- 2. Real property owners within the Area of Review and the Nye County Commission must be notified in writing of the upcoming stimulation procedure not less than 14 days prior to the stimulation procedure and the operator must maintain a record of these notifications and methods.
- 3. The Oil, Gas, and Geothermal Program Manager is to be notified at least 24 hours in advance of the well stimulation.
- 4. All chemical and base fluid use is to be reported to fracfocus.org within sixty (60) days of the completion of the well stimulation operations, as listed in NAC 522.728 (4).
- 5. Stimulation or bottom hole pressures are not to exceed 90% of the 7,240 psig burst rating of the 7 inch (26 pound, L-80 grade) production casing.
- 6. The annular spaces between the surface and intermediate casing, and the intermediate and production casing, are to be monitored for pressure change. Bright Sky Energy and Minerals, Inc. shall immediately stop the hydraulic fracturing process and notify the Division of Minerals if any change in annular pressure is observed suggesting a communication with the hydraulic fracturing fluids.
- 7. All back-flushed hydraulic fracturing fluids must be contained in enclosed containers while the fluids are on the 1-35 drill pad, unless another method of storage is otherwise approved by the Nevada Division of Environmental Protection.
- 8. Bright Sky Energy and Minerals, Inc. must safely transport the backflushed fluids to a commercial disposal facility in Utah, as proposed and approved in the stimulation program/sundry notice. When the back-flushed hydraulic fracturing fluids are removed from the 1-35 drill pad location for proper disposal, Bright Sky Energy and Minerals, Inc. must provide to the Division of Minerals a copy of the bill of lading involved, or a related document, illustrating the transport of all back-flushed hydraulic fracturing fluids from the 1-35 drill pad to the final destination. Any other method of disposal of the back-flushed hydraulic fracturing fluids from the 1-35 well must be approved by the Division of Minerals and the Nevada Division of Environmental Protection.
- 9. All spills are to be reported to the Division of Minerals (775-721-1774) and the Nevada Division of Environmental Protection (In-state: 1-888-331-6337, Out of state: 1-775-687-9485).

Form 3150-5 (March 2012)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

of Land	Mana	FORM APPROVED ORB No. 1014-0157
	iO _O	Expires: Comber 31, 20
	5. Lease Sorol No. NAVN 666520	

SUNDRY NOTICES AND REPORTS ON WELLSO

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals:		NA			
abandoned well.	Use Farm 3160-3 (A	(PD) for such proposa	ECE	WED	
SUBMIT IN TRIPLICATE - Other instructions on page 2.		7. If Con of CA/Agreement, Name undfor No.			
1. Type of Well Ely,		Cly,	140		
Oil Well Gas Well Other			8. Well Name and No. BSEM Federal #1-35		
Name of Operator Bright Sky Energy & Minerals Inc.		9 API Well No. 27-023-05617			
3a. Address		3b. Phone No. (include area code) 10. Field and Pool or Exploratory Area		Aploratory Area	
17601 S. Goldan Road, Goldan, CO 40401		303 990-7831		Wildcaf	
4. Location of Well (Footoze, Sec. T. R. M., or Survey Description) 103 FSL 2 753 FWL Sect 55 TEN RS1E MDS2M			11. County or Parish, State		
			Nye County, Nevada		a
12. CHE	K THE APPROPRIATE BO	X(ES) TO INDICATE NATUR	E OF NOTIC	E, REPORT OR OTH	ERDATA
TYPE OF SUBMISSION	TYPE OF ACTION				
✓ Notice of Intant		Deepen Production (Start Resume) Water Shut-Off		☐ Water Shut-Off	
The state of the s	Alter Casing	Fracture Treat	Reclamation Well Integrity		Well Integrity
Subsequent Report Casing Repair		New Construction	Reco	mplete	Other
	Change Plans	Plug and Abandon	Tem	porarily Abendoa	
Final Abandonment Notice Convert to Injection Plug Back		Wate	Water Disposel		
13. Describe Proposed or Completed On the proposal is to deepen direction. Attach the Bond under which the following completion of the involvesting has been completed. Final determined that the site is ready for the proposal of the pro	ally or recomplete horizontal work will be performed or proved operations. If the operation Abandonment Notices must	ly, give subsurface locations and ovide the Bond No. on file with I on results in a multiple completion	measured and BLM/BIA. Room or recomp	d true vertical depths of equired subsequent rep letion in a new interval	f all pertinent markers and zones, orts must be filed within 30 days a Form 3160-4 must be filed once
The Bright Sky Energy and Minerals 7610' to 7616'); hydraulically stimulapproximately 45,000 gallons of wa Test and evaluate zone. If commer and test. If commercially productive	ate - fracture treat zone. T ter that will be acquired fro cially productive, complete	he maximum amount of wate om an existing temporary wate a zone as producing oil well.	r required for er well locate of nonproduction	or the fracture treatmented on the drill site - pa	ent is estimated to be ad and or from private sources.
Attachments:				DEA	

Proposed testing program
 Halliburton proposed detailed procedure
 Halliburton disclosure of proposed Hydraulic Fracturing Fluid Composition
 BSEM 1-35 well bore Sketch

RECEIVED FEB 0 7 2017

DIVISION OF MINERALS

Title W. J. Ehni / Consulting Geologist
Date 1 June 2016
DERAL OR STATE OFFICE USE
Fille Field Manager Date 2/7/17
or certify Office Boxette come

(Instructions on page 2)